

ABSTRAK

EKA RUSMITA AGUSTINA. Faktor- Faktor Yang Berhubungan Dengan Kejadian Prakanker Servika Di Ruang Poli Kandungan RSUD Ulin Banjarmasin Tahun 2015. Dibimbing oleh DINI RAHMAYANI dan DEWI PUSPARANI SINAMBELA.

Latar Belakang: Problem kesehatan yang utama dan sebab-sebab kematian sekarang ini adalah karena penyakit-penyakit kronis. Penyakit kronis adalah penyakit-penyakit degeneratif yang berkembang selama kurun waktu yang lama. Salah satu penyakit yang termasuk penyakit kronis adalah kanker. Penderita kanker dari tahun ketahun semakin meningkat tanpa batas usia. Salah satu jenis kanker itu adalah kanker serviks. Hasil studi pendahuluan dari tahun 2013 sampai dengan tahun 2014 terdapat peningkatan kejadian prakanker serviks sebanyak 8,02% di RSUD Ulin Banjarmasin.

Tujuan: Mengetahui faktor-faktor yang berhubungan dengan kejadian prakanker serviks di RSUD Ulin Banjarmasin.

Metode: Metode penelitian bersifat survei analitik dengan pendekatan *cross sectional*. Cara pengambilan sampel dengan metode *sampling jenuh* sebanyak 120 orang ibu yang melakukan pemeriksaan prakanker serviks di RSUD Ulin Banjarmasin. Pengumpulan data menggunakan buku register yang dianalisa menggunakan uji korelasi *Chi Square* pada derajat kepercayaan (0,05) 95%.

Hasil: Sebagian besar ibu yang ya terkena prakanker serviks sebanyak 38 orang (31,7%), faktor usia yang beresiko prakanker servik sebanyak 46 orang (38,3%), faktor usia pertama kali menikah yang beresiko prakanker serviks sebanyak 28 orang (23,3%), faktor paritas yang beresiko prakanker serviks sebanyak 73 orang (60,8%), dan faktor kontrasepsi hormonal yang beresiko prakanker serviks sebanyak 85 orang (70,8%). Ada hubungan antara usia, usia pertama kali menikah, paritas dan kontrasepsi hormonal terhadap kejadian prakanker serviks.

Kesimpulan: Kejadian prakanker serviks dipengaruhi oleh usia, usia pertama kali menikah, paritas dan kontrasepsi hormonal.

Kata Kunci: *usia, usia pertama kali menikah, paritas, kontrasepsi hormonal dan prakanker serviks*

ABSTRACT

EKA RUSMITA AGUSTINA. Factors associated with precancerous cervical genesis poly gynecology hospital in space ulin banjarmasin year 2015. Guided by DINI RAHMAYANI and DEWI PUSPARANI SINAMBELA

Background: The major health problems and causes of death today is due to chronic diseases. Chronic disease is a degenerative disease that develops over a period of time. One of the diseases that include chronic disease is cancer. Cancer patients is increasing from year to year with no age limit. One type of cancer is cervical cancer. Results of preliminary studies from 2013 to 2014 there is an increased incidence of cervical pre-cancer as much as 8.02% at the Ulin General Hospital Banjarmasin

Objective: To determine the factors associated with the incidence of cervical precancer in hospital Ulin Banjarmasin.

Methods: The research method is analytic survey with cross sectional approach. How sampling by saturation sampling methods and over 120 women who undergo precancerous cervical examinations in hospitals Ulin Banjarmasin. Collecting data using a registry book that analyzed using Chi Square correlation test on the degree of confidence (0.05) 95%.

Results: Most of the mothers were exposed to precancerous cervical yes as many as 38 people (31.7%), the factor of age who are at risk of precancerous cervical many as 46 people (38.3%), the age factor was first married at risk of cervical precancer as many as 28 people (23 , 3%), parity risk factor of cervical precancer as many as 73 people (60.8%), and risk factors hormonal contraceptive cervical precancerous 85 persons (70.8%). There is a relationship between age, age of first marriage, parity and hormonal contraception on the incidence of cervical precancer

Conclusion: The incidence of cervical pre-cancer is influenced by age, the age of first marriage, parity and hormonal contraceptives

Keywords: age, age of first marriage, parity, hormonal contraceptives and cervical precancer