

RENITA KALELUANI, Mobilisasi Dini Pada Pasien Post Sectio Caesarea Di Ruang Nifas RSUD Dr.H.Moch Ansari Saleh Banjarmasin. Dibimbing oleh SITTI KHADIJAH dan ADRIANA PALIMBO

ABSTRAK

Latar Belakang: *Sectio caesarea* atau persalinan adalah prosedur pembedahan untuk melahirkan janin melalui sayatan perut dan dinding rahim. Mobilisasi dini adalah pergerakan yang dilakukan sedini mungkin di tempat tidur dengan melatih bagian-bagian tubuh untuk melakukan peregangan atau belajar berjalan. Untuk itu perlu dilakukan mobilisasi dini sebagai suatu usaha mempercepat penyembuhan luka post operasi seksio sesarea. Angka kejadian Sectio Caesaria tahun 2015 sebanyak 125 orang di RSUD Dr.H.Moch Ansari Saleh Banjarmasin.

Tujuan: Mengetahui mobilisasi dini pada pasien post section caesarea di Ruang Nifas RSUD Dr.H.Moch Ansari Saleh Banjarmasin.

Metode: Penelitian Deskriptif Analitik dengan pendekatan Cross sectional.. Pengambilan sampel menggunakan teknik *Accidental Sampling* sebanyak 21 orang.

Hasil: Responden berdasarkan kelompok umur terbanyak berada pada rentang umur 20-35 tahun berjumlah 15 responden (71,4%) dan yang terendah pada umur < 20 tahun sebanyak 2 responden (9,5%). Responden berdasarkan kelompok paritas terbanyak yaitu paritas 1 berjumlah 9 responden (42,9%) dan paling rendah yaitu paritas 5 berjumlah 1 responden (4,8%). Mobilisasi dini pada pasien post sectio caesarea dalam kategori baik sebanyak 21 responden (100%)

Simpulan: Mobilisasi dini pada pasien post sectio caesarea di Ruang Nifas RSUD Dr.H.Moch ansari Saleh Banjarmasin pada 21 responden semuanya memiliki mobilisasi dini baik

Kata Kunci: Mobilisasi Dini, Post Sectio Caesarea

RENITA KALELUANI, Early mobilization in patients' post sectio caesarea in Nifas's room at RSUD Dr.H.Moch Ansari Saleh Banjarmasin. Supervised by SITTI KHADIJAH and ADRIANA PALIMBO

ABSTRACT

Background: Sectio caesarea is a surgical procedure for delivery of a fetus through the abdominal incision and uterine wall. Early mobilization movement is done as early as possible in bed with train part of the body to stretch or learn to walk. It is necessary for early mobilization as an attempt to accelerate wound healing post sectio caesarea. The incidence of sectio caesarea in 2015 as many as 125 people in RSUD Dr.H.Moch Ansari Saleh Banjarmasin

Objective: To know the early mobilization to patients' post sectio caesarea in Nifas's room at RSUD Dr. Moch Ansari Saleh Banjarmasin.

Method: Analytical descriptive research using cross sectional approach. Sampling technique is accidental sampling technique as many as 21 people.

Result: Respondents by age group most are in the age range of 20-35 years amounted to 15 respondents (71, 4%) and the lowest respondents at age <20 years amounted to 2 respondents (9,5%). Most respondent based group that parity 1 amounted to 9 respondents (42, 9%) and the lowest is parity 5 amounted to 1 respondent (4, 8%). Early mobilization to patients' post sectio caesarea in Nifas's room at Dr. Moch Ansari Saleh Banjarmasin is good categorized amounted to 21 respondents (100%)

Conclusion: Early mobilization of patients' post sectio caesarea in Nifas's room at RSUD Dr. Moch Ansari Saleh Banjarmasin in 21 respondents are had good early mobilization.

Keyword: Early Mobilization, Post Sectio Caesarea